



**PLAN**



**A  
ELEVATION**

\* - H = HEIGHT OF CURB  
ALL MEASUREMENTS IN INCHES



**SECTION A-A**

**NOTES**

1. FOR USE ONLY WHERE ENTRANCE DOES NOT CROSS SIDEWALK.
2. WHEN AN EXISTING ENTRANCE IS LESS THAN 20' IN WIDTH A UNIFORM TAPER SHALL BE CONSTRUCTED TO TIE INTO THE EXISTING ENTRANCE AS DIRECTED BY THE ENGINEER
3. EXPANSION JOINT MATERIAL SHALL BE INSTALLED IN ACCORDANCE WITH STD. MD-655.01.

SPECIFICATION CATEGORY CODE ITEMS

APPROVED

*Kirk G. McCall*  
DIRECTOR - OFFICE OF HIGHWAY DEVELOPMENT



APPROVAL • SHA REVISIONS	APPROVAL • FEDERAL HIGHWAY ADMINISTRATION
APPROVAL 2-10-04	APPROVAL 3-31-04
REVISED	REVISED
REVISED	REVISED
REVISED	REVISED

**Maryland Department of Transportation**  
**STATE HIGHWAY ADMINISTRATION**  
STANDARDS FOR HIGHWAYS AND INCIDENTAL STRUCTURES  
**STANDARD ENTRANCE CONSTRUCTION**  
**RESIDENTIAL & COMMERCIAL**  
**METHOD NO.3**

**STANDARD NO. MD 630.03**